

Pre Event Q&A's

Number

1

10 July 2013

From

ISAF Technical Delegate

General Q1:

Are competitors allowed to bring their sail(s) to hotel? Just to dry it and/or to tape tell tails on?

Answer:

No, see NOR 15 and SI D1.2.

General Q2:

In case a provided sheet seems to be very long are competitors allowed to shorten them?

Answer:

No, see NOR 4.4 last sentence and SI D1.5.

General Q3:

Are sailors permitted to stick/add PRO-GRIP on their boats?

Answer:

Yes, but the tape must be removable after the event without leaving permanent damage, see NOR 4.6.


General Q4:

Are electronic compasses allowed?

Answer:

Yes, provided class rules are complied with.

ISAF Technical Delegate,
Antonio González de la Madrid



420-Q1:

May competitors use their own jib luff wire?

Answer:

No, see NOR 4.4 last sentence and SI D1.5

420-Q2:

Will competitors be able to place a PVC tube that has numbers written on it over the vang rope?

Answer:

No, see answer to 420-Q1.

420-Q3:

Will the sailors be permitted to change the leg strap position by using fittings that do not require drilling holes?

Answer:

No, see answer to 420-Q1

420-Q4:

May competitors use a small ball at the end of the spinnaker halyard?

Answer:

No. See answer to 420-Q1

Laser Radial-Q1:

Can the competitors use their own line for the adjustment of the hiking straps?

Answer:

Yes, see NOR 4.7 and SI D2.1


Laser Radial-Q2:

Can the competitors use their own hiking strap?

Answer:

No, see NOR 4.4 last sentence and 4.5

ISAF Technical Delegate,
Antonio González de la Madrid



SL 16-Q1:

Are competitors allowed to use their own cleats to adjust the trapeze while sailing?

Answer:

No, see NOR 4.4 last sentence and 4.5.

SL16-Q2:

Is tape on the rudder blade where it engages within the rudder stock considered above or below the waterline?

Answer:

Above

29er-Q1:

Can the competitors put one extra loop on the jib sheet?

Answer:

No. An extra loop would need the use of an extra block. See NOR 4.4, last sentence and SI D1.5

29er-Q2:

Can competitors take remove the footstraps?

Answer:

No. See NOR 4.4 and SI D1.5.

29er-Q3:

Can the centrecase be packed to create a firm fit of the centreboard?

Answer:

Yes, provided NOR 4.6 is complied with.

ISAF Technical Delegate,
Antonio González de la Madrid

